



Case Study

THE MANAGEMENT OF SCHIZOPHRENIA PROGRESSED FROM SUBSTANCE-INDUCED PSYCHOSIS WITH A SELECTED AYURVEDIC PROTOCOL

Sagar Sojitra^{1*}, Merrin Joseph¹, Satheesh. K²

¹Post Graduate Scholar, Mano Vigyana evam Manasa Roga, ²Professor, Department of Kayachikitsa, V.P.S.V Ayurveda College Kottakkal, Kerala, India.

Article info

Article History:

Received: 12-03-2025

Accepted: 11-04-2025

Published: 20-05-2025

KEYWORDS:

Schizophrenia,
Substance use,
Unmada,
Ayurveda.


ABSTRACT

Schizophrenia, which progresses from substance-induced psychosis (SIP), is a psychiatric condition in which an initial substance-related psychotic episode develops into a chronic psychotic disorder. The Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5), defines SIP as a state of delusions or hallucinations triggered by substance use or withdrawal. Studies suggest that 11–46% of individuals with SIP may progress to schizophrenia, with cannabinoids, stimulants, and alcohol being the most common triggers. However, SIP remains underdiagnosed, and its progression to schizophrenia is not well characterized. This case illustrates the importance of Ayurvedic management of a patient having psychotic symptoms (auditory hallucinations, multiple bizarre delusions) that arose from SIP having h/o substance use (alcohol, cigarettes, cannabis) from the last 10 years. Ayurveda classifies psychotic disorders under Unmada and offers a holistic treatment approach that includes internal medicines and panchakarma therapies. 33 days of IP management which include *Shirodhara*, *Rookshana*, *Snehapana*, *Virechana*, *Yoga vasti*, *Nasya*, *shiropichu* and *Dhoopana* were followed along with *Shamana* medication. A positive and negative syndrome scale was used for assessment before and after the treatment. The PANSS scores significantly decreased from 81 to 49 post-treatment, patient reported decrease in substance craving, and positive psychotic symptoms improved with no adverse reactions. This case provides the evidence of effect of ayurvedic management on schizophrenia progressing from substance-induced psychosis and offers an alternative and safe option from conventional medication.

INTRODUCTION

Psychosis due to substance abuse is commonly observed in clinical practice. The propensity to develop psychosis seems to be a function of the severity of substance use and dependence^[1]. The Diagnostic and Statistical Manual of Mental Disorders, (DSM-5), defines Substance induced psychosis as a state of delusions or hallucinations triggered by substance use^[2]. Studies suggest that 11–46% of individuals with SIP may progress to schizophrenia, with cannabinoids,

stimulants, and alcohol being the most common triggers^[3]. In several registry studies alcohol-induced psychosis was the most common subtype of substance-induced psychosis and cannabis seems to have the highest conversion rate (47%) to Schizophrenia compared to other substance-induced psychosis^[4,5]. Moreover, young age was associated with a higher risk of converting to schizophrenia.^[5] While both Substance-Induced Psychosis (SIP) and Schizophrenia can involve psychosis (hallucinations and delusions), schizophrenia is a chronic illness that influences virtually all aspects of life of affected persons, including thinking, perception, emotions, language, sense of self, and behaviour^[6,7]. The symptoms must also be present for at least six months to meet the diagnostic criteria of schizophrenia^[6]. Despite numerous advances in brain imaging, genetics, and neurochemistry, the pharmacologic agents routinely

Access this article online	
Quick Response Code	
	https://doi.org/10.47070/ayushdhara.v12i2.2058
Published by Mahadev Publications (Regd.) publication licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0)	

used to treat schizophrenia have not changed and antipsychotic (neuroleptic) medications continue to be a critical component in the treatment of schizophrenia^[8,9].

Ayurveda uses the general word *Unmada* to describe schizophrenia^[10]. According to presentation and severity of symptoms, schizophrenia progressing from substance-induced psychosis can be diagnosed under the disease *Unmada* in Ayurveda psychiatry. Dasha assessment is done based on symptoms. The treatment protocol adopted for *Unmada* includes practices such as *Shirodhara*, *Snehapana*, *Virechana*, *Vasti*, *Nasya*, *Shiropichu*, and *Samana* medicines.

Patient Information

A 39-year-old male belonging to a lower middle socio-economic Christian family, currently unemployed got admitted in Government Ayurveda Research Institute for Mental Health and Hygiene, Kottakkal, against his will by the family members. According to the patient he came to the hospital to admit his mother. His mother complained of increased aggressive behaviour, irrelevant talk, suspiciousness towards others, self-laugh, self-talk and increased use of alcohol, Hans and cigarettes since 10 years.

Detailed interrogation with the patient revealed that he has increased multiple substance abuse including alcohol, marijuana, Hans and cigarettes since last 10 years, and believed that substance intake doesn't have any side effects. In 2015 upon intoxication, he locked himself in a room, after 3 days family members found him on the floor with a head injury. Even though findings were normal on radiological examination he showed increased aggression and disorganized behavior. Currently, the patient has delusions of reference (illuminati is observing him from fan), delusion of control (one UFO is controlling him), Delusion of grandiosity (he can time travel), multiple bizarre delusions (men have menstrual cycle, passing urine decreases his energy). Patient also showed wandering, aggressive behaviour,

suicidal ideation, auditory hallucination, and disorganized speech.

His mother worked as a home nurse in Mumbai to meet the family's financial needs. Due to property issues there was stressful family environment, and he felt that he didn't get proper care from his mother. He reported a sexual abuse by a gang after which he had increased aggression towards other people. He also started substance use from a very young age due to peer pressure and discontinued his studies after 10th standard. Thereafter he worked as a daily wage worker but was not getting proper wage. During the same period, he made a conflict with his family after which his alcohol abuse peaked to a level of 1 litre per day. Gradually he also started using marijuana 3 puffs per day and 1 packet cigarette. He had a history of IP admission for 1.5 months in modern psychiatry hospital for deaddiction and behavioral changes. He claimed that he abstained from alcohol and other substances from past 1 year, but the symptoms persisted for the last one year due to which family admitted him for better management.

Medical history

He had history of multiple accidents, under the effect of the intoxication.

Family history

He had a family history of alcohol abuse by maternal grandfather.

Clinical Findings

General Physical Examination

Pulse rate 76/minute, Heart rate 76/minute, BP- 110/80mm Hg, Respiratory rate- 16/minute

Lab Investigations:

Hb- 13.2gm%, ESR- 5mm/hr, RBS- 83mg/dl, S.Cholesterol- 192 mg/dL

Detailed examinations were done including *Dasavidha pareeksha*, mental status examination, and Ayurvedic psychiatric examination of the patient before intervention (Table 1, 2, 3)

Table 1: *Dasavidha pareeksha*

<i>Dosha</i>	<i>Vata, Pitta</i>
<i>Dhatu</i>	<i>Rasa</i>
<i>Bhoomi desam</i>	<i>Sadharana</i>
<i>Deha desam</i>	<i>Sarvasareera, Manas</i>
<i>Rogabalam</i>	<i>Pravara</i>
<i>Rogibalam</i>	<i>Madhyama</i>
<i>Kalam: kshanadi</i>	<i>Varsha</i>
<i>Vyadhyavastha</i>	<i>Puranam</i>
<i>Analam</i>	<i>Manda</i>

<i>Prakriti</i>	
<i>Dosha prakriti</i>	<i>Pitta-Vata</i>
<i>Manasa prakriti</i>	<i>Rajasa Tamasa</i>
<i>Vaya</i>	<i>Madhyama</i>
<i>Satwa</i>	<i>Avara</i>
<i>Satmya</i>	<i>Sarvarasa satmya</i>
<i>Abhyavaharana sakti</i>	<i>Madhyama</i>
<i>Jarana sakti</i>	<i>Madhyama</i>

Table 2: Mental status examination

General appearance and behaviour	Poorly groomed
Grooming and dressing	
Facial expression	Anger
Eye contact	Maintained but staring gaze
Attitude towards examiner	Co-operative
Comprehension	Intact
Gait and posture	Normal
Motor activity	Increased
Social manner	Inappropriate behaviour
Rapport	Established with difficulty
Mannerisms	Forceful tapping on the table with knuckles
Speech Rate and quantity	
Volume and tone	Increased
Reaction time	Decreased
Flow and rhythm	Normal
Mood	Irritated
Affect	Happy (variability present)
Thought	
Form and stream	Circumstantiality
Content and perception	Delusion of reference, control, grandiosity, bizarre delusions and auditory hallucination
Cognition	
Consciousness	Alert, conscious
Orientation (time, place, person)	Intact
Attention and concentration	Partially impaired
Memory	
Immediate, recent, remote	Intact
Intelligence	Partially impaired
Abstract thinking	Intact
Reading and writing	Intact
Visuo-spatial ability	Intact
Insight	Grade 1
Judgment	Intact
Impulsivity	Present

Table 3: Ayurvedic psychiatric examination

<i>Manovibhrama</i>	Present	Tangentiality in speech
<i>Budhivibhrama</i>	Present	Multiple delusion
<i>Samjna-jnana vibhrama</i>	Absent	-
<i>Smriti vibhrama</i>	Absent	-
<i>Bhakti vibhrama</i>	Present	Increased sexual interest
<i>Seela vibhrama</i>	Present	anger outbursts without any reason
<i>Cheshta vibhrama</i>	Present	Mannerisms
<i>Achara vibhrama</i>	Present	Harming his mother

Diagnosis

Apart from multiple delusions and hallucination patient also had disorganized speech and behaviour even after abstaining from substance since 1 year and schizophrenia was diagnosed based on DSM-V criteria. Based on Ayurvedic psychiatric examination and *Dashavidha pariksha*, the condition was diagnosed as *Vataja unmada* with *Pitta anubandha*.

Intervention

The intervention started with *Shirodhara* with *Dashmoola Kashaya* followed by *Rukshana* with *Gandharvahastadi Kashaya*, *Abhayaristam* and *Shaddharana* tablet. Then *Snehapana* was done with *Thikthaka ghrita*. *Abhyanga* and *Ushma sweda* was done with *Dhanwanthara taila* followed by *Virechana* with *Avipathy Churna*. After that 5 *Anuvasana vasti* with *Tikthaka grita* and 3 *Kashaya vasti* with *Yastimadhu Kashaya* and *Dhanwantharam Mezhlukupakam* was administered in the form of *Yogavasti*. Then *Nasya* with *Kalyanaka ghrita* was given followed by *Shiropichu* with *Ksheerabala taila*. *Dhoopana* was done with combination of *Haridra* (*Curcuma longa* Linn.), *Vacha* (*Acorus calamus* Linn.), *Jadamanchi* (*Nardostachys jatamansi* DC.), *Kushta* (*Saussurea costus* Clarke), *Daruharidra* (*Berberis aristata* Linn.) along the course of treatment. (Table 4, 5)

Table 4: Therapeutic intervention

Procedure	Days	Medicines	Dose	Rationale	Observation
<i>Shirodhara</i>	7 days	<i>Dasamoola kashaya</i>		<i>Vatakaphahara</i>	Became calm
<i>Rookshanam</i>	2 days	<i>Gandharvahastadi kashaya</i> ^[11] <i>Abhayaristam</i> <i>Shadharanam tablet</i> ^[12]	15 ml bd 30 ml bd 2 bd	<i>Amapachana</i> , <i>Deepana</i> , <i>Kaphahara</i>	Appetite increased
<i>Snehapana</i>	7 days	<i>Thikthaka ghrita</i>	30 ml - 280 ml	<i>Pittahara</i>	<i>Samyak snigdha lakshana</i> attained on 7 th day, irritability reduced
<i>Abhyanga</i> <i>Ushma sweda</i>	2 days	<i>Dhanwantharam taila</i> ^[13]	-	<i>Vata Kapha hara</i> , <i>Doshavilayana</i>	
<i>Virechana</i>	1 day	<i>Avipathy churna</i> ^[14]	25 gm	<i>Pittahara</i>	6 Vegas were obtained, anger outburst reduced
<i>Snehavasti</i>	5 days	<i>Thikthaka ghrita</i>	75 ml	<i>Pittahara</i>	Bizarre and grandiose delusions reduced
<i>Kashaya vasti</i>	3 days	<i>Yasti (Glycyrrhiza glabra</i> Linn.) <i>Kashaya</i> Honey <i>Saindhava</i> <i>Dhanwantharam</i> <i>Mezhukupakam</i>	750 ml 100 ml 15 gm 100 ml	<i>Pittahara</i> and <i>Vatanulomana</i>	Self-laugh, self-talk reduced
<i>Marsha</i>	3 days	<i>Kalyanaka ghrita</i> ^[15]	1ml	<i>Vata-Pittahara</i> ,	Delusion of control

<i>nasyam</i>				<i>Smriti medha kara</i>	reduced
<i>Shiropichu</i>	3 days	<i>Ksheerabala taila</i>	15 ml	<i>Vata-pittahara</i>	Sleep improved
<i>Dhoopana</i>	Daily	<i>Haridra (Curcuma linga Linn.)</i> + <i>Vacha (Acorus calamus Linn.)</i> + <i>Jadamanchi (Nardostachys jatamansi DC.)</i> + <i>Kushta (Saussurea costus Clarke)</i> + <i>Daruharidra (Berberis aristata Linn.)</i> ^[16]		<i>Srotoshodhana</i>	Thought correction

Table 5: Internal medicines

Medicine	Dose	Anupana	Aushadhakaala	Rationale
<i>Drakshadi Kashaya</i>	90 ml	Warm water	2 times a day before food	<i>Vatapittahara</i> , effect on cognitive domain
<i>Swethasankhpushpi</i> ¹⁷ <i>Yastimadhu</i> <i>Kushta</i>	2 g 2 g 1 g	Warm water	2 times a day after food	<i>Pithakapha hara</i> , brain tonic <i>Pittahara</i> , <i>Medhya</i> <i>Vatakaphahara</i>
<i>Mahatpanchgavya ghrta</i>	5 g	Warm water	At bed time after food	<i>Kaphavata hara</i> delusion correction
<i>Dhatryadi ghrta</i>	5 g	Warm water	At bed time after food	<i>Vata Pittahara</i>
<i>Manasamitra vatakam</i>	2	Warm water	At bed time after food	To improve sleep

RESULTS

Table 6: Assessment of outcome

Scales	Score before treatment	Score after 19 th day	Score after Treatment
PANSS	81	65	49

DISCUSSION

According to Ayurveda *Unmada* is a broad term comprising various kinds of psychiatric illnesses that affect *manas* where *Vibhramas* can be identified. The present case is diagnosed as *Vataja unmada* with *Pitta anubandha*. Increased wandering and mannerisms, disorganized speech, hallucinatory behaviors and delusions pointed to *Vata dosha*. Aggressive behaviour can be due to *Pitta dosha dusti*. *Aruchi* and *Krishangata* can be due to *Rasa dusti*. Protocol including *Yukthivyapasraya chikitsa* comprising *Sodhana*, *Samana* and *Pathyapathya* was observed as effective.

Initially, *Shirodhara* was done with *Dasamoola Kashaya* to alleviate *Tridoshas*. After 7 days of *Shirodhara* patient become calm. Then *Rukshana* was done internally with drugs having *Deepana pachana* properties. Drug used are *Gandarvahasthadi Kashaya*, *Abhayaristam* and *Shaddharanam* tablet. For *Snehapana*, the drug used was *Tikthaka ghrta* which is having properties of *Pittahara*, *Medhya* and *Agni deepana*. After 7 days of *Snehapana samyak snigha*

lakshanas were attained and irritability reduced. *Abhyanga* and *Ushma sweda* were done with *Dhanwanthara taila* which is *Vatakapha hara*. After assessment of *Koshta avipathy churna* was selected as *Virechana* medicine. 6 *Vegas* were observed and anger outburst got reduced. *Nithya dhoopana* with combination of *Vacha*, *Haridradwaya*, *Kusta*, *Jatamanchi* was given for Delusions reduced, which is also having *Srotosodhana* property.

Internal medications were given along the course of treatment. After treatment significant reduction was attained in PANSS Score. Changes noted at the time of discharge were reduced anger outburst, delusions and hallucinatory behaviour. From Mental status examination changes noted were normal motor activity, improvement in speech, improved attention and concentration.

CONCLUSION

The study provides evidence supporting the effect of Ayurvedic management in schizophrenia

progressing from substance-induced psychosis. Ayurveda protocols including *Shodhana*, *Samana* medication demonstrated significant symptom relief. Further research is needed to validate or generalize the findings, and to establish an alternative and safe option from conventional medication.

Declaration of patient consent

The written consent was obtained from the patient for the case to be reported in the journal.

REFERENCES

1. Fiorentini A, Cantu F, Crisanti C, Cereda G, Oldani L, Brambilla P. Substance-Induced Psychoses: An Updated Literature Review. *Front Psychiatry*. 2021 Dec 23; 12: 694863. doi: 10.3389/fpsyt.2021.694863. PMID: 35002789; PMCID: PMC8732862.
2. Sarkar S, Hillner K, Velligan DI. Conceptualization and treatment of negative symptoms in McCutcheon RA, Marques TR, Howes OD. Schizophrenia- An Overview. *JAMA psychiatry*. 2020 Feb 1; 77(2): 201-10.
3. Stepnicki P, Kondej M, Kaczor AA. Current concepts and treatments of schizophrenia. *Molecules*. 2018 Aug 20; 23(8): 2087.
4. Niemi-Pynttari JA, Sund R, Putkonen H, Vormaa H, Wahlbeck K, Pirkola SP. Substance-induced psychoses converting into schizophrenia: a register-based study of 18,478 Finnish inpatient cases. *J Clin Psychiatry*. 2013; 74(1): e94-e99
5. Starzer MSK, Nordentoft M, Hjorthøj C. Rates and predictors of conversion to schizophrenia or bipolar disorder following substance-induced psychosis. *Am J Psychiatry*. (2018) 175: 343-50. 10.1176/appi.ajp.2017.17020223
6. Murrie B, Lappin J, Large M, Sara G. Transition of Substance-Induced, Brief, and Atypical Psychoses to Schizophrenia: A Systematic Review and Meta-analysis. *Schizophr Bull*. 2020 Apr 10; 46(3): 505-516. doi: 10.1093/schbul/sbz102. PMID: 31618428; PMCID: PMC7147575.
7. Opare-Addo MN, Mensah J, Aboagye GO. A case of schizophrenia in a young male adult with no history of substance abuse: impact of clinical pharmacists' interventions on patient outcome. *Case Reports in Psychiatry*. 2020; 2020(1): 3419609.
8. Kane JM, Marder SR. Psychopharmacologic treatment of schizophrenia. *Schizophrenia bulletin*. 1993 Jan 1; 19(2): 287-302.
9. Stepnicki P, Kondej M, Kaczor AA. Current concepts and treatments of schizophrenia. *Molecules*. 2018 Aug 20; 23(8): 2087.
10. Vaidya Jadavji Trikamji Acharya, Caraka Samhita, Ayurveda dipika Commentary of Cakrapanidatta, Nidaanasthaana, Ch-7, Sloka-3-4 Pg:223, Choukhambha Krishnadas Academy, Varanasi, reprint 2015
11. Priyavrat Sharma Susruta Samhitachikitsastana, Volume-III; 4/3-4., 36th series, Chaukhamba Orientalia Varanasi:2007.
12. Krishnan KV, Gopalapillai S. Sahasrayogam, (with Malayalam commentary) 33rd edition, P-82, Vidyarambham press; Alappuzha.
13. K.R. Srikantha Murthy, Ashtangahridaya of Vagbhata, Sareerasthana; Garbhavyapadasareera: Chapter 2, Verse 47-52 (4th ed.) p387-388, Chaukhamba Krishnadas Academy, Varanasi, 2012
14. Subhaarati Prakashan, Editor, Vagbhata, Ashtanga Hridaya, Arunadatta, Hemadri, edn 1, Chaukhamba Varanasi, 2007, Kalpa Sthana 2/21-23, p. 743.
15. Agnivesha, Charaka Samhita, Chikitsa Sthana, Vidyotini Hindi commentary by Pt. Kashinatha Shastri & Dr. Gorakhanatha Chaturvedi, Part -2, Chaukhamba Bharati Academy, Varanasi, 2016. Unmada Chikitsa Adhyaya, 9/35-41.
16. Rinisha M, Satheesh K. Ayurveda Management of Schizophrenia- A Case Report. *International Research Journal of Ayurveda and Yoga*. 2022 Mar 31; 5(3): 28-34.
17. Acharya Priyavrat Sharma, Dravyagunavijnan volume 2. (p 9-11) Chaukhamba Bharti Academy, Varanasi, 2006

*Address for correspondence

Dr. Sagar Sojitra

Post Graduate Scholar,
Mano Vigyana evam Manasa Roga,
Department of Kayachikitsa,
VPSV Ayurveda College, Kottakkal,
Kerala, India.

Email: srpatel2633@gmail.com

Cite this article as:

Sagar Sojitra, Merrin Joseph, Satheesh. K. The Management of Schizophrenia Progressed from Substance-Induced Psychosis with a Selected Ayurvedic Protocol. *AYUSHDHARA*, 2025;12(2):122-127.

<https://doi.org/10.47070/ayushdhara.v12i2.2058>

Source of support: Nil, Conflict of interest: None Declared

Disclaimer: AYUSHDHARA is solely owned by Mahadev Publications - A non-profit publications, dedicated to publish quality research, while every effort has been taken to verify the accuracy of the content published in our Journal. AYUSHDHARA cannot accept any responsibility or liability for the articles content which are published. The views expressed in articles by our contributing authors are not necessarily those of AYUSHDHARA editor or editorial board members.