



## Review Article

### JALOUKAVACHARANA AS A PROPHYLACTIC AND CURATIVE MODALITY: A COMPREHENSIVE REVIEW OF RAKTAMOKSHANA PRINCIPLES

Aditya Trivedi<sup>1\*</sup>, Rucha Narendra Selkar<sup>1</sup>, Laxmidhar Barik<sup>2</sup>, Ram Naresh Singh<sup>3</sup>

<sup>1</sup>PG Scholar, <sup>2</sup>Professor and Head of Department, <sup>3</sup>Associate Professor, Department of Shalya Tantra, Shri Babu Singh Jaysingh Ayurvedic Medical College and Hospital, Farrukhabad, Uttar Pradesh, India.

#### Article info

##### Article History:

Received: 12-06-2026

Accepted: 17-07-2026

Published: 10-09-2026

##### KEYWORDS:

Hirudotherapy,  
*Jalouka*, Bioactive  
Saliva,  
Microcirculation,  
Hematophagous  
Therapy.

#### ABSTRACT

In Ayurveda, *Rakta* (blood) is considered the essence of human life. When blood becomes vitiated or impure due to improper dietary habits or seasonal transitions, it serves as a catalyst for various systemic diseases. To address this, Ayurveda employs a sophisticated therapeutic modality known as leech therapy (*Jaloukavacharana*). Medicinal leeches are uniquely utilized for their ability to selectively extract impure blood, thereby alleviating clinical symptoms. During the haematophagic process, the leech secretes saliva into the host's bloodstream, introducing a complex cocktail of bioactive compounds. The primary constituent, Hirudin, acts as a potent anticoagulant and analgesic. This natural analgesic property ensures that the phlebotomy process remains virtually painless for the patient. Clinical applications of leech therapy are extensive, particularly in dermatology for treating conditions such as acne, *Kusta* (psoriasis/leprosy), *Visarpa* (erysipelas), and recurrent abscesses. Furthermore, it is highly effective in managing vascular disorders characterized by impaired circulation- including varicose veins, deep vein thrombosis (DVT), non-healing ulcers, and necrosis. By stimulating capillary regeneration and enhancing microcirculation, leech therapy promotes systemic healing. This paper outlines these therapeutic benefits to advocate for the wider integration of leech therapy in public health.

#### INTRODUCTION

Ayurveda established over five millennia ago that *Rakta* (blood) is the fundamental essence of human vitality, asserting "*Raktam Jeeva Iti Sthiti*"- blood is life itself. Consequently, preserving its integrity is paramount.<sup>[1]</sup> Maintaining optimal health requires not only sufficient blood volume but also the preservation of its qualitative purity. When blood becomes vitiated (toxified) due to poor dietary choices or environmental seasonal shifts, it precipitates various pathologies, including dermatological disorders and systemic abscesses. To restore physiological balance, Ayurveda advocates for *Raktamokshana*, or therapeutic bloodletting, to expel these morbid humors.

Among the diverse techniques of systemic detoxification, leech therapy (*Jaloukavacharana*) is distinguished as one of the most significant and effective clinical interventions.<sup>[2]</sup> During this procedure, medicinal leeches are strategically applied to the afflicted region to initiate blood extraction. As they feed, they introduce bioactive saliva into the patient's circulatory system. This secretion is enriched with numerous pharmacological constituents that offer both therapeutic relief for chronic conditions and prophylactic benefits against systemic ailments. Consequently, this paper seeks to underscore the clinical advantages of hirudotherapy, advocating for its broader application to enhance societal health outcomes.

#### AIMS AND OBJECTIVES

- To elucidate the multi-faceted therapeutic advantages of hirudotherapy.
- To underscore the clinical significance of *Raktamokshana* (therapeutic phlebotomy) within traditional and modern medicine.

#### Access this article online

##### Quick Response Code



<https://doi.org/10.47070/ayushdhara.v13i4.2871>

Published by Mahadev Publications (Regd.)  
publication licensed under a Creative Commons  
Attribution-NonCommercial-ShareAlike 4.0  
International (CC BY-NC-SA 4.0)

## Biological Classification and Characteristics

Leeches are segmented, hermaphroditic annelids, morphologically like earthworms. Of the approximately 700 identified species, they are broadly categorized into poisonous and non-poisonous varieties. *Hirudo medicinalis* is the species most frequently employed for clinical bloodletting. These organisms thrive primarily in freshwater habitats and temperate or cool climates.<sup>[3]</sup>

## Historical and Surgical Context

The pioneering use of leeches in the medical domain is credited to the ancient sage Sushruta, widely revered as the "Father of Surgery." In Ayurvedic texts, the leech is termed *Jalouka*- a name derived from its aquatic habitat. It is classified as an *Anushastra*,<sup>[4]</sup> or a para-surgical instrument, reflecting its utility in minimally invasive procedures. Beyond the Indian subcontinent, hirudotherapy has a profound historical presence, having been practiced extensively in ancient Greece, Germany, North America, and across Europe.<sup>[5]</sup>

## Biological Insights into Leech Physiology<sup>[6]</sup>

The medicinal leech (*Hirudo medicinalis*) is a biological marvel with several extraordinary anatomical features:

**Sensory and Neural Complexity:** These organisms possess approximately five pairs of eyes and 18 sensory papillae are used to detect environmental stimuli. Their decentralized nervous system consists of 32 individual ganglia- often referred to as "brains"- one for each internal segment of their body.

**Specialised Feeding Apparatus:** A leech's mouth contains three muscular jaws lined with nearly 300 microscopic, razor-sharp teeth. This allows them to create a precise Y-shaped incision through which they can ingest blood.

**Vast Ingestion Capacity and Slow Digestion:** Large leeches can consume up to ten times their body weight in a single feeding session. Because their digestive process is exceptionally slow, they can survive on as few as two feedings per year.

**Pharmacological Saliva:** Their saliva is a complex cocktail of over 60 proteins, most notably hirudin. This potent anticoagulant prevents blood from clotting during feeding, often causing the bite site to bleed significantly longer than a typical wound after the leech detaches.

**Natural Analgesia:** Neural tissues in leeches contain morphine-like substances that provide a natural analgesic effect. This numbs the host's skin, making the blood-sucking process virtually painless.

**Reproductive Biology:** Leeches are simultaneous hermaphrodites, meaning everyone possesses both

male and female reproductive organs, including ovaries and approximately nine pairs of testes.

## Biochemical Composition of Leech Saliva<sup>[7]</sup>

The therapeutic efficacy of hirudo therapy is derived from the complex pharmacological profile of leech saliva, which contains a diverse array of bioactive proteins and enzymes:

**Hirudin & Hementin:** Potent anticoagulants that inhibit thrombin and fibrinogen, ensuring continuous blood flow.

**Bdellin:** A protease inhibitor that possesses significant anti-inflammatory properties.

**Eglin:** Acts as a chymotrypsin inhibitor, reducing tissue degradation and inflammation.

**Collagenase & Apyrase:** These enzymes serve as platelet anti-aggregants, preventing platelet adhesion and clot formation.

**Hyaluronidase:** A mucolytic enzyme that increases tissue permeability, facilitating the deep penetration of other medicinal components.

**Anesthetic Substances:** Natural compounds that induce local numbness, rendering the procedure painless for the host.

**Vasodilators:** Compounds that dilate local blood vessels to enhance microcirculation and expedite the healing process.

## Defining Hirudo therapy<sup>[8]</sup>

Hirudo therapy is a specialized medicinal phlebotomy technique (a form of *Raktamokshana*) wherein leeches are applied to specific anatomical sites to extract vitiated or stagnant blood. This procedure not only detoxifies the localized area but also utilizes the leech's biochemical secretions to resolve underlying vascular and inflammatory pathologies.

## Methodological Procedure

The clinical application of hirudo therapy follows a structured protocol to ensure safety and efficacy:

1. Site Preparation: The target area is meticulously cleansed with sterile water and thoroughly dried.
2. Leech Application: The medicinal leech is placed precisely on the afflicted anatomical site.
3. Hydration Maintenance: The leech is covered with a moist gauze to maintain its physiological comfort and activity.
4. Assisted Detachment: Once the leech has finished the haematophagic process, it is carefully detached.
5. Wound Management: The bite site is dressed using aseptic techniques to prevent secondary infection.
6. Emesis Induction: Post-procedure, the leech is induced to regurgitate the ingested blood to preserve its health.

7. Quarantine & Storage: The organism is stored in a controlled environment for recuperation.

### Clinical Indications for Hirudotherapy<sup>[9]</sup>

In Ayurvedic medicine, leech therapy is primarily indicated for conditions involving the vitiation of *Pitta* (bilious humor) and *Rakta* (blood). Its applications include:

- **Vascular Pathologies:** Highly effective in managing venous disorders such as varicose veins, venous ulcers, and phlebitis.
- **Inflammation and Oedema:** Relieves pain and reduces swelling associated with hematomas and localized inflammatory conditions.
- **Ulceration Management:** Used to treat chronic, infective, and non-healing ulcers by improving localized microcirculation.
- **Musculoskeletal and Arthritic Disorders:** Provides rapid analgesic relief for gouty arthritis, osteoarthritis, and compressive neuropathies like carpal tunnel syndrome, sciatica, and cervical spondylosis.
- **Ischaemic and Necrotic Conditions:** Facilitates blood flow in ischaemic tissues and manages gangrenous progression.
- **Dermatological Disorders:** Addresses acne (particularly *Pitta*-dominant cases), eczema, psoriasis, scabies, and dermatitis.
- **Specific Clinical Cases:** Indicated for thrombosed haemorrhoids, scalp alopecia, and recurrent eyelid abscesses.
- **Toxicology:** Historically utilized to mitigate the effects of localized envenomation from insect or snake bites.

### Integration of Hirudo therapy in Contemporary Medicine<sup>[10]</sup>

In the 1980s, the medical community witnessed a resurgence of interest in hirudo therapy as plastic and reconstructive surgeons recognized the clinical value of the leech's anticoagulant and phlebotomic properties. Today, it is a recognized adjunct in several surgical specialties:

- **Microvascular and Reconstructive Surgery:** Leeches are strategically employed during the postoperative phase of digital replantation, skin grafting, and complex breast reconstructions. They are essential for alleviating venous congestion, which can otherwise jeopardize the viability of the transplant.
- **Salvage of Severed Extremities:** By preventing post-surgical thrombosis, hirudo therapy plays a critical role in the successful reattachment of

severed appendages, such as fingers, toes, and ears, where maintaining microvascular patency is vital.

- **Pharmacological Alternatives:** For patients with a hypersensitivity or intolerance to conventional Heparin, recombinant hirudin- derived from the study of leech biochemistry- serves as a potent and effective systemic anticoagulant alternative.
- **Mechanisms of Action:** Anticoagulant and thrombolytic properties. The therapeutic efficacy of hirudo therapy is primarily attributed to the sophisticated biochemical interactions between leech saliva and the host's hematological system.

### Anticoagulation Cascade Inhibition

1. **Direct Thrombin Inhibition:** The saliva contains Hirudin, the most potent natural inhibitor of thrombin. By binding directly to thrombin molecules, it halts the conversion of fibrinogen into fibrin, effectively neutralizing the coagulation cascade.
2. **Inhibition of Platelet Adhesion:** Another vital constituent, calin, functions by obstructing the binding of the von Willebrand factor to collagen. This action effectively inhibits collagen-induced platelet aggregation, preventing the initial stages of clot formation.
3. **Factor Xa Blockade:** The presence of a specific Factor Xa inhibitor further reinforces the anticoagulant effect by neutralizing the enzymatic activity of Factor Xa, a critical convergence point in both the intrinsic and extrinsic coagulation pathways.

### Thrombolytic and Clot-Dissolving Effects <sup>[11]</sup>

**Fibrinolysis:** Beyond preventing new clots, leech saliva contains Destabilase, an enzyme capable of hydrolyzing stabilized fibrin. This protein exhibits significant thrombolytic activity, enabling the dissolution of pre-existing blood clots and improving overall vascular patency.

### Secondary Pharmacological Effects of Hirudo therapy

Beyond anticoagulation, the biochemical profile of leech saliva provides extensive physiological benefits that facilitate healing and systemic stabilization:

### Analgesic and Bacteriostatic Properties

The secretions contain natural anesthetic compounds that desensitize the application site, ensuring the procedure remains painless. Simultaneously, bacteriostatic agents effectively impede bacterial proliferation. This not only prevents localized infections but also provides a measurable enhancement to the host's immune response at the site of the lesion.

**Anti-Inflammatory and Vasodilatory Mechanisms**

**Enzymatic Inhibition:** Bioactive compounds such as Bdelins and Eglins serve as potent anti-inflammatory agents. Bdelins specifically mitigate inflammation by inhibiting trypsin, plasmin, and acrosin, thereby reducing tissue irritation and swelling.

**Vascular Dilation:** The saliva introduces vasodilators, including histamine-like substances, acetylcholine, and carboxypeptidase A inhibitors. These molecules promote the expansion of blood vessels, significantly increasing regional blood inflow and oxygenation to the afflicted tissue.

**Long-term Systemic and Regenerative Benefits**

- **Cardiovascular Regulation:** Cumulative therapy has been observed to assist in the normalization of blood pressure in hypertensive patients, potentially reducing the long-term risk of cerebrovascular accidents (strokes) and myocardial infarctions.
- **Wound Healing and Microcirculation:** By optimizing circulatory efficiency, hirudo therapy accelerates the resolution of chronic wounds, particularly complex diabetic ulcers and necrotic lesions.
- **Symptomatic Relief:** The synergistic action of anti-inflammatory and anesthetic components provides rapid, sustainable relief for patients suffering from chronic pain and systemic inflammatory disorders.

**Contraindications and Patient Experience****Clinical Contraindications**

While hirudo therapy is highly therapeutic, it is strictly contraindicated in specific patient populations to ensure safety. It is not recommended for individuals with haematological disorders, such as haemophilia, severe anaemia, or leukaemia, where clotting or blood volume is already compromised. Furthermore, the procedure should be avoided in patients with compromised immune systems, including those diagnosed with HIV/AIDS or individuals currently undergoing immunosuppressive drug therapy, to mitigate the risk of secondary infections.<sup>[12]</sup>

**Sensory Experience and Pain Management**

A common clinical concern is the degree of discomfort associated with the procedure. Due to the natural anaesthetic substances present in the leech's saliva, patients typically experience only minimal discomfort. The sensation is often described as negligible and is frequently compared to the mild, fleeting sting of an ant or a mosquito bite.

**Amount of Blood aspirated in a single setting**

In a single feeding session, an adult leech typically ingests approximately 20 to 25ml of blood.

However, the anticoagulant properties of its saliva inhibit clotting, often resulting in prolonged post-attachment bleeding that can exceed the initial volume by tenfold. While the primary suction phase generally spans 10 to 30 minutes, it can occasionally persist for up to two hours.

**Complications**

While leech therapy is generally devoid of life-threatening sequelae, certain localized complications may arise<sup>[13]</sup>. Patients occasionally manifest hypersensitivity or anaphylactic responses restricted to the immediate vicinity of the bite. Clinical presentations may include mild pruritus (itching), erythematous rashes, and serous exudation. Furthermore, edematous swelling can occur in regions with high tissue laxity, such as the palpebrae or labia, alongside instances of persistent post-attachment haemorrhage. Typically, these issues are amenable to conservative clinical management.

**CONCLUSION**

In summary, maintaining the quantitative and qualitative integrity of *Rakta* (blood) is fundamental to physiological well-being. Leech therapy facilitates the evacuation of vitiated blood, serving both curative and prophylactic functions. Its efficacy is well-documented in contemporary medicine, particularly regarding reconstructive and plastic surgery, the management of refractory ulcers, varicose veins, and deep vein thrombosis (DVT). Beyond its therapeutic applications, it serves as a valuable preventative modality even for healthy individuals.

**Acknowledgement**

Special thanks to respected Chairperson Dr Sunita Yadav, resp. Dr Shailendra Yadav, Resp. Dr Manjunath N.S, Dr Tentu Ram Babu, Dr Shinas, Resp Dr Najeeb TK, Dr Pankaj Pal, resp. Dr Surabhi Chandra, resp. Dr Shilpi Avasthi, My dear colleagues, beloved Juniors Dr Ankit and Dr Sonali.

**REFERENCES**

1. Sushruta. Sutra Sthana, Chapter 14, Shonita Varnaniya Adhyaya, Verse 44. In: Shastri A, editor. Sushruta Samhita, Part I. Reprint ed. Varanasi: Choukambha Sanskrit Samsthana; 2005. p. 56.
2. Sushruta. Sutra Sthana, Chapter 13, Jalaukavacharaniya Adhyaya, Verse 3. In: Shastri A, editor. Sushruta Samhita, Part I. Reprint ed. Varanasi: Choukambha Sanskrit Samsthana; 2005. p. 43.
3. Zakariyya MM, Farooqui MA, Siddiqui ML, Ahmed S. Leech Therapy and its Efficacy in Management of Non-Healing Ulcers-a review. Int J Sci Res. 2024; 13(1): 149.

4. Sushruta. Sutra Sthana, Chapter 8, Shastra vacharaniya Adhyaya, Verse 15. In: Shastri A, editor. Sushruta Samhita, Part I. Reprint ed. Varanasi: Choukambha Sanskrit Samsthana; 2005. p. 29
5. Witwit LJ, Ali LO, Abbas AM. A Critical Review of Hirudo medicinalis and Historical Aspects of Leech Therapy. Medical Journal of Ahl al-Bayt University. 2024 Aug 3; 3(1): 154-70.
6. Phillips AJ, Govedich FR, Moser WE. Leeches in the extreme: Morphological, physiological, and behavioral adaptations to inhospitable habitats. International journal for parasitology: parasites and wildlife. 2020 Aug 1; 12: 318-25.
7. Selkar RN, Khandare K, Patil M, Gode C. Comparative Study on Haematological Parameters in Leech Application for Acute Inflammation. International Journal of Current Research and Review. 2020 Nov; 12(22): 129-32.
8. Priti Engineer, Makwana D, Dabhi A, Chudasama H. Comprehensive Review of Jalaukavacharan-Leech Therapy in Purview of Ayurveda. International Journal of Trend in Scientific Research and Development (IJTSRD) Volume 7 Issue 3, May-June 2023
9. Singh SK, Rajoria K. Medical leech therapy in Ayurveda and biomedicine-A review. Journal of Ayurveda and integrative medicine. 2020 Oct 1; 11(4): 554-64.
10. Singh AP. Medicinal leech therapy (hirudotherapy): a brief overview. Complementary therapies in clinical practice. 2010 Nov 1; 16(4): 213-5.
11. Ramachandraiah C, Nandish SK, Kengaiyah J, Srinivas C, Shivaiah A, Martin SS, Shinde M, Sannanigaiah D. Macrotyloma uniflorum seed aqueous extract exhibits anticoagulant, antiplatelet and clot dissolving properties. Asian J Pharm Pharmacol. 2019; 5(3): 589-603.
12. Kashyap V, Gaur M, Pandey Y, Sabharwal P. Raktamokshan-an Ancient Ayurvedic Parasurgical Practice and Its Applicability in Contemporary Clinical Practice: a Review. European Journal of Pharmaceutical and Medical Research. 2019; 6(4): 634-40.
13. Narine A, Mangal G. An In-Depth Review of Raktamokshana (Bloodletting) Therapy. Int Ayur Medical J. 2022: 374-80.

**Cite this article as:**

Aditya Trivedi, Rucha Narendra Selkar, Laxmidhar Barik, Ram Naresh Singh. Jalaukavacharana as a Prophylactic and Curative Modality: A Comprehensive Review of Raktamokshana Principles. AYUSHDHARA, 2026;13(4):446-450. <https://doi.org/10.47070/ayushdhara.v13i4.2871>

**Source of support: Nil, Conflict of interest: None Declared**

**\*Address for correspondence**

**Dr. Aditya Trivedi**

PG Scholar,  
Department of Shalya Tantra  
Shri Babu Singh Jaysingh Ayurvedic  
Medical College and Hospital,  
Farrukhabad, Uttar Pradesh.  
Email: [adityatrivedi261@gmail.com](mailto:adityatrivedi261@gmail.com)

Disclaimer: AYUSHDHARA is solely owned by Mahadev Publications - A non-profit publications, dedicated to publish quality research, while every effort has been taken to verify the accuracy of the content published in our Journal. AYUSHDHARA cannot accept any responsibility or liability for the articles content which are published. The views expressed in articles by our contributing authors are not necessarily those of AYUSHDHARA editor or editorial board members.